AD-A252 193



Grant AFOSR-89-0045



Final Report

DENSE MODIFIABLE INTERCONNECTIONS UTILIZING PHOTOREFRACTIVE VOLUME HOLOGRAMS

Demetri Psaltis

Submitted to:

Dr. Alan Craig

Air Force Office of Scientific Research Bolling Air Force Base, Washington, DC.

Principal Investigator:

Dr. Demetri Psaltis

California Institute of Technology

Department of Electrical Engineering

Pasadena, California 91125

and 18

This document has been approved for public selected and sale; its distribution is unlimited.

92-15701

92 6 16 059

THE PAGE						
SECURITY CLASSIFICATION OF THIS PAGE	REPORT DOCUME	ENTATION PAG				
16 REPORT SECURITY CLASSIFICATION		16. RESTRICTIVE A	-			
26 SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/A	AVAILABILITY O	FREPORT		
25. DECLASSIFICATION/DOWNGRADING SCHEDULE		4	n' +	1		
		MI	unue	<u> </u>		
4 PERFORMING ORGANIZATION REPORT NUMBER(8) CIT Account No. 61430		AFOSR-89-04		EPORT NUMBER(S) こ じっぱり	i	
TA NAME OF PERFORMING ORGANIZATION	Sb. OFFICE SYMBOL	70. NAME OF MON!	TORING ORGANI	ZATION		
California Institute of Technology	116-81	dame as 8a				
Department of Electrical Engineering		76. ASORESS (City.	Sinte and ZIP Code	e)		
MS 116-81 Pasadena CA 91124		dane	n.80			
M. NAME OF FUNDING/SPONSORING ORDANIZATION	So. OFFICE SYMBOL	S. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER				
AFOSR	NE	AFOSR-89-00	345		····	
Ac. ADDRESS (City, State and ZIP Code) AFOSR/NE			19. SOURCE OF FUNDING NOS.			
Building 410		Program Slement no.	PROJECT NO.	TASK NO.	WORK UNIT	
Bolling AFB DC 20332-6448		GIVAF	2305	3 84		
11. TITLE (Include Security Classification) Demotri Psaltis		Wilvar				
12. PERSONAL AUTHOR(S) Dense Modifiable Interconnec	ctions Utilizing	Photorefracti	ive Volume i	Holograms		
136 TYPE OF REPORT 136 TIME C		14. DATE OF REPO!		18. PAGE CO	TAUC	
16. SUPPLEMENTARY NOTATION	101/00104/40136	3/20/74		8	And the same of th	
17. COSATI CODES 18 SUBJECT TERMS (C.		ontinue on reverse if ne	remary and identif	ly by block nymber;)	
FIELD GROUP SUB. GR.				• • • • • • • • • • • • • • • • • • • •		
	4					
19. ASSTRACT (Continue on reverse of necessary on						
This report summarizes resea degeneracies in associative	memories, (2) th	he procedure f	or designin	ng fractal e	ride	
degeneracies in associative memories, (2) the procedure for designing fractal grids for planar holograms, (3) the experimental demonstration of one and two layer neural						
networks that are designed w	vith such fractal	l sampling gri	ds. (4) the	experiment	a 1	
demonstration of dynamic hol long sequence of adaptations	ographic memorie	is that are ca	pable of an	arbitrarily	y 	
for hand-written character r	ecognition, (6)	the developme	nt of an an	ti-Hebbian		
local learning algorithm for	training mult-l	layer neural n	etworks. (7	7) the experi	imental	
demonstration of optical radial basis function network, and (8) the demonstration of a two-layer local-representation optical network for real-time face recognition.						
or a two-tayer tocat-represe	ntation optical	network for r	eel-time fa	ce recogniti	ion.	
26. DISTRIBUTION/AVAILABILITY OF ASSTRAC	€ ₹	21. ABSTRACT SECU	RITY CLASSIFIC	ATION		
UNCLASSIFIED/UNLIMITED & SAME AS RPT	O ofic usess O	un	class			
12L NAME OF RESPONSIBLE INDIVIDUAL		220. TELEPHONE NL		324 OFFICE SYMB	OL	


DD FORM 1473, 83 APR

GOITION OF 1 JAN 73 IS OBSOLETE

This is the final report for the AFOSR sponsored program "Dense Modifiable Interconnections Utilizing Photorefractive Volume Holograms" (AFOSR-89-0045). Here we present an overview of the accomplishments which have been described in more detail in the semi-annual reports as well as the published papers that are listed at the end of this report.

The basic architecture for holographic optical neural networks [1,2] is shown in Fig. 1, which can be a single stage of a multilayered system. Neurons in one plane are interconnected with the neurons in other planes via holographic gratings stored in light sensitive media such as photorefractive crystals. Specifically, the light from a pixel at the input neural plane is collimated and diffracted by a holographic grating. The diffracted light is then focused by a lens onto a pixel at the output neural plane. The goal is to train such a system, through modifications of the holographic interconnections, in order for it to perform desirable computations. The success of this learning procedure depends critically upon the optical hardware and the learning algorithm. It has been the objective of this research program to realize dense modifiable interconnections in such adaptive systems using photorefractive volume holograms.

A basic geometrical limitation on the density of interconnections achievable through volume holograms is due to the finite volume of photorefractive crystals. Let N be the number of resolvable points in any one dimension for both the neural planes and the hologram. There are N^2 pixels in both the input and output planes. On the other hand, the total number of gratings available in the hologram is N^3 . Therefore, if we want to interconnect independently each of the input neurons to all the output neurons, only $N^{3/2}$ pixels from the N^2 available sites at each plane can be selected for the placement of neurons. The sampling procedure [3,4] is described as follows. Each time we attempt to add a neuron to a new site at the input (output), we check to see whether this new site is already connected to one of the neurons selected previously at the output (input) by an existing grating. If it is, we eliminate this site from the sampling grid; if it is not, we place a neuron at this site, which implies that gratings are established to connect this new neuron to all the neurons now selected at the output (input). By iterating this procedure, we can find sets of fractal sampling grids that must be used in the input and output planes so as to guarantee that all the interconnections between the input and output planes



[]

1

can be independently specified. A large family of sampling grids were derived using this procedure.

To solve a practically significant problem, neural-net learning algorithms typically require at least thousands of iterations (or, modifications of synaptic interconnections). In the optical implementation shown in Fig. 1, each iteration requires an additional holographic exposure to be made in the same crystal. Therefore, a very large number of holograms must be superimposed in a learning architecture. The basic problem with writing a large number of photorefractive holograms is that during the exposure of new holograms, previously recorded holograms decay due to a photogenerated increase in the free carrier density. As a result, the overall diffraction efficiency becomes inversely proportional to the number of holographic exposures [5]. This rapid decrease of diffraction efficiency severely limits the extent to which optical neural networks can be trained. One method to overcome this problem is dynamic copying [6]. The basic idea is to transfer the multiply exposed hologram to a second medium, and then copy it back with a single exposure to rejuvenate the primary hologram. As a result, the overall diffraction efficiency after copying becomes independent of the number of holographic exposures used to form the original hologram. Several variations of this method have been demonstrated, including copying with with an all-optical feedback loop [7], with a pair of active phase conjugate mirrors [8], between two photorefractive media, and with an optoelectronic feedback loop. These methods allow us to construct optical learning networks capable of an arbitrarily long sequence of adaptations.

The types of learning that can be implemented on an optical network fall into two broad catagories depending on the characteristics of the hidden layer representation: learning with distributed representation and learning with local representation. In the distributed learning, the network is trained so that a large fraction of hidden units is turned on for each input, while for learning with local representation, only one or a small number of hidden units are turned on for each input.

Examples of distributed learning networks include Kanerva's network [9], the Back-propagation network [10], the ALL network [11,12], and the tiling network. In the Kanerva's network, the weights of the first layer interconnections are random, and each input is mapped to a sparse, distributed hidden representation. The second layer, trained by

the sum-of-outer-products rule, perform classification on the distributed hidden representation. Figure 2 shows the optical implementation of the Kanerva's network, which was constructed and trained for hand-written character recognition. After training with 104 patterns, all the training patterns were recognized correctly by the system. Figure 3 shows some examples of the input patterns, their distributed hidden representations. the responses of the output units. The position of the switched-on output units indicated which character in the alphabet is the input. The trained network was also tested with 520 handwritten character patterns (20 patterns from each class) that were not in the training set. 311 out of the 520 testing patterns were correctly classified, giving an average recognition rate of about 60%. This recognition rate is much better than random guessing (4%), but far below what is required for a useful character recognition system. The reason for the relatively poor performance on the test set is the choice of training algorithm used, specifically the fixed first layer weights and the limited number of training cycles for the second layer. This same system can be used to implement algorithms in which both layers are fully trained with error driven algorithms such as Backpropagation and ALL, which, in computer simulations, give much better performance.

Learning in both the Backpropagation network and the ALL network aims at reducing the output error at each iteration. While the former requires that the output error be propagated backwards through the network, the latter does not. Although this advantage comes at a price of relatively slow learning rate, the simplicity of the ALL network makes it very attractive for optical implementation in the near future. Both the Backpropagation and ALL networks maintain a fixed size during the training and only the interconnections are modified. The tiling network, however, does not have a fixed size. Rather, it grows during training. Specifically, the network starts with a single hidden unit that is trained with the perceptron algorithm, and more hidden units are added only when they are needed. Compared with local learning, distributed learning can generally yield small networks that can generalize well from a relatively small set of examples. However, these networks are very difficult to train.

Local representation networks are relatively easy to train, but they usually require a relatively large size and large number of training samples. A typical example is the Radial Basis Function (RBF) network. The first layer of the network is trained to generate an

array of basis function centers. When an input is given, the network will calculate the distance between the input and the centers, and a hidden unit will be turned on w' in the input is close to the corresponding center. The output response is a weighted sum the hidden layer response. Optical RBF networks have been constructed using optical memory disks [13] and spatial multiplexing parallel architecture [14], and have been successfully trained for hand written character recognition.

Recently, a two-layer local-representation optical network has been constructed and trained to recognize in real time "Denk", who is a student in our group. The network is implemented with liquid crystal spatial light modulators for the neural planes and lithium niobate photorefractive crystals for the interconnections. The network has approximately 60,000 units at the input plane, 30 hidden units, and a single output unit. The output unit is turned on whenever the network classifies the input as Denk. The network is trained with a video segment 2 minutes long, from which 180 frames were selected for training. Specifically, each hidden unit was trained to respond to 6 frames. The trained network classified the rest of the training tape almost flawlessly. The system was then tested by presenting through a TV camera real time input of Denk and other members of our group. The system almost never misclassified other people as Denk and exhibited remarkable tolerance to changes in aspect, illumination, and facial expression.




Figure 1. Basic architecture for holographic optical neural networks.




Figure 2. Optical implementation of the Kanerva's network. VM = video monitor, LCLV = liquid crystal light valve, PR = photorefractive crystal, (P)BS = (polarizing) beam splitter, RM = rotating mirror, L = lens, S = shutter.




Figure 3. Examples of the signals at the input (top), hidden (middle), and output (bottom) layers in the experimental two-layer network.

- Published Work Supported By This Program:
- [1] D. Psaltis, D. Brady, X.-G. Gu, and S. Lin, "Holography in artificial neural networks," Nature 343, 325 (1990).
- [2] D. Psaltis, D. Brady, X. -G. Gu, and K. Hsu, "Optical implementation of Neural Computers," in *Optical Processing and Computing*, H. Arsenault, ed. (Academic Press, New York, 1989).
- [3] D. Psaltis, X. -G. Gu, and D. Brady, "Fractal sampling grids for holographic interconnections," Proc. SPIE 1988 ICO Topical Meeting on Optical Computing, 963-70, Toulon, 1988.
- [4] H. Lee, X.-G. Gu, and D. Psaltis, "Volume holographic interconnections with maximal capacity and minimal crosstalk," J. Appl. Phys. 65, 2191 (1989).
- [5] D. Psaltis, D. Brady and K. Wagner, "Adaptive optical networks using photorefractive crystals," Appl. Opt. 27, 1752 (1988).
- [6] D. Brady, K. Hsu and D. Psaltis, "Periodically refreshed multiply exposed photorefractive holograms," Opt. Lett. 15, 817 (1990).
- [7] Y. Qiao and D. Psaltis, "Experimental photorefractive dynamic holographic memory," in Conference on Lasers and Electro-Optics, 1992, Vol. 12, OSA Technical Digest Series (Optical Society of America, Washington, D.C.), pp. 58-59.
- [8] Y. Qiao, D. Psaltis, C. Gu, J. Hong, P. Yeh, and R. R. Neurgaonkar, "Phase-locked sustainment of photorefractive holograms using phase conjugation," J. Appl. Phys. 70, 4646 (1991).
- [9] D. Psaltis and Y. Qiao, "Optical neural networks," Opt. & Photonics News, Vol. 1, No. 12, 17 (1990).
- [10] K. Wagner and D. Psaltis, "Multilayer optical learning networks," Appl. Opt. 26, 5061 (1987).
- [11] Y. Qiao and D. Psaltis, "A local learning algorithm for optical neural networks," to appear in Applied Optics.
- [12] D. Psaltis and Y. Qiao, "Optical multilayer neural networks," Proc. SPIE Vol. 1564, Optical Information Processing Systems and Architectures III, 489 (1991).
- [13] M. A. Neifeld, S. Rakshit, A. A. Yamamura, S. Kobayashi, and D. Psaltis, "Optical disk implementation of radial basis classifiers," Proc. SPIE 1990 International Sym-

- posium on Optical and Optoelectronic Applied Science and Engineering, 1347-02, San Diego, California, 1990.
- [14] M. A. Neifeld, S. Rakshit, and D. Psaltis, "Handwritten zip code recognition using an optical radial basis function classifier," Proc. SPIE 1991 Symposium on Applications of Artificial Intelligence and Neural Networks, 1469-33, Orlando, Florida, 1991.
- [15] H.-Y. Li and D. Psaltis, "Double grating formation in anisotropic photorefractive crystals," J. Appl. Phys. 71, 1394 (1992).
- [16] N. A. Riza and D. Psaltis, "Acousto-optic signal processors for transmission and reception of phased-array antenna signals," Appl. Opt. 30, 3294 (1991).
- [17] D. J. Brady and D. Psaltis, "Holographic interconnections in photorefractive waveguides," Appl. Opt. 30, 2324 (1991).
- [18] C. Gu, J. Hong, H. -Y. Li, D. Psaltis, and P. Yeh, "Dynamics of grating formation in photovoltaic media," J. Appl. Phys. 69, 1167 (1991).
- [19] S. S. Venkatesh, G. Pancha, D. Psaltis, and G. Sirat, "Shaping attraction basins in neural networks," Neural Networks 3, 613 (1990).
- [20] K.-Y. Hsu, H.-Y. Li, and D. Psaltis, "Holographic implementation of a fully connected neural network," Proc. IEEE 78, 1637 (1990).
- [21] J. Hong, P. Yeh, D. Psaltis, and D. Brady, "Diffraction efficiency of strong volume holograms," Opt. Lett. 15, 344 (1990).
- [22] S. Hudson and S. J. Ostro, "Doppler radar imaging of spherical planetary surfaces,"
 J. Geophysical Research 95 (B7), 10947 (1990).
- [23] C. Ji, R. R. Snapp, and D. Psaltis, "Generalizing smoothness constraints from discrete samples," Neural Computation 2, 188 (1990).
- [24] D. Psaltis, A. Yamamura, and H. -Y. Li, "Mass storage for digital optical computers," Proc. SPIE 1214-08 (1990).
- [25] D. Psaltis, A. A. Yammuura, K. Hsu, S. Lin, and X. -G. Gu, "Optoelectronic implementations of neural networks," IEEE Comm. Magazine 27, 37 (1989).
- [26] J. Yu, A. Johnston, D. Psaltis, and D. Brady, "Limitations of opto-electronic neural networks," Proc. SPIE 1053-04 (1989).

• Students That Have Worked On This Program:

David Brady (now an assistant professor at University of Illinois)

Ken Hsu (now an associate professor at National Chiao Tung University in Taiwan)

Claire Gu 'now an assistant professor at Pennsylvania State University)

Nabeel Riza (now with GE Research Center)

Scott Hudson (now an assistant professor at Washington State University)

Mark A. Neifeld (now an assistant professor at University of Arizona)

Alan Yamamura (now with Goldman-Sachs Company)

Chuanyi Ji (now an assistant professor at Rensselaer Polytechnic Institute)

Sidney Li

Yong Qiao

Jean-Jacques Drolet